## COMPRESSOR DATA SHEET

## Federal Uniform Test Method for Certain Air Compressors Not Applicable **Rotary Compressor: Variable Frequency Drive MODEL DATA - FOR COMPRESSED AIR** Manufacturer: 1 ELGi **OF275V-100** Date: 06/26/2020 Model Number: X Water-cooled 2 Air-cooled Type: SCREW X Oil Free Lubricated # of Stages: Full Load Operating Pressure<sup>t</sup> psig<sup>b</sup> 3\* 100 4 Drive Motor Nominal Rating 350 hp 5 Drive Motor Nominal Efficiency 96.2 percent 6 Fan Motor Nominal Rating (if applicable) NA hp NA 7 Fan Motor Nominal Efficiency percent Specific Power Capacity (acfm)<sup>a,d</sup> Input Power (kW) $(kW/100 acfm)^d$ 293.1 17.36 1688.0 280.1 1563.0 17.92 8\* 252.7 1406.0 17.97 225.9 1254.0 18.01 200.1 1107.0 18.08 188.3 1036.0 18.18 Total Package Input Power at Zero Flow 9\* 0.00 kW 35 Power(kW/100CFM) 30 25 10 20 Specific 15 10 1,500 300 600 900 1,200 Capacity(CFM) Note: Graph is only a visual representation of the data in Section 8 e: Y-Axis Scale, 10 to 35, + 5kW/100acfm increments if necessary above 35 X-Axis Scale, 0 to 25% over maximum capacity Note \*For models that are tested in the CAGI Performance Verification Program, these items are verified by the third party administrator

Consult CAGI website for a list of participants in the third party verification program: www.cagi.org



 Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex E; ACFM is actual cubic feet per minute at inlet conditions.

- b. The operating pressure at which the Capacity (Item 8) and Electrical Consumption (Item 8) were measured for this data sheet.
- c. No Load Power. In accordance with ISO 1217, Annex E, if measurement of no load power equals less than 1%,
  - manufacturer may state "not significant" or "0" on the test report.
- d. Tolerance is specified in ISO 1217, Annex E, as shown in table below:
- NOTE: The terms "power" and "energy" are synonymous for purposes of this document.

Member

	Volume Flow Rate at specified conditions		Volume Flow Rate	Specific Energy Consumption	No Load / Zero Flow Power
	m <sup>3</sup> / min	<u>ft<sup>3</sup> / min</u>	%	%	%
	Below 0.5	Below 17.6	+/- 7	+/- 8	+/- 10%
	0.5 to 1.5	17.6 to 53	+/- 6	+/- 7	
	1.5 to 15	53 to 529.7	+/- 5	+/- 6	
OT 031.2	Above 15	Above 529.7	+/- 4	+/- 5	

12/19 R3 This form was developed by the Compressed Air and Gas Institute for the use of its members participating in the PVP. CAGI has not independently verified the reported data