COMPRESSOR DATA SHEET



Federal Uniform Test Method for Certain Air Compressors Not Applicable

Rotary Compressor: Variable Frequency Drive

MODEL DATA - FOR COMPRESSED AIR							
1	Manufacturer: ELGi						
	Model Number: OF110V-115		Date: 03/01/2023				
2	Air-cooled X Water-cooled		Type: SCREW				
	Lubricated X Oil Free		# of Stages: 2				
3*	Full Load Operating Pressure	115	psig b				
4	Drive Motor Nominal Rating	150	hp				
5	Drive Motor Nominal Efficiency	95	percent				
6	Fan Motor Nominal Rating (if applicable)		hp				
7	Fan Motor Nominal Efficiency	NA	percent				
8*	Input Power (kW)	Capacity (acfm) ^{a,d}	Specific Power				
			(kW/100 acfm) ^d				
	144.2	676.0	21.33				
	132.7	619.0	21.44				
	116.6	535.0	21.79				
	108.0	493.0	21.91				
	93.3	423.0	22.06				
O.th	77.7	347.0	22.40				
9*	Total Package Input Power at Zero Flow c, d	0.00	kW				
10	Note: Graph is only a vi Note: Y-Axis Scale, 10 to 35,	375 500 apacity(CFM) sual representation of the data in + 5kW/100acfm increments if neces 0 to 25% over maximum capacity					

*For models that are tested in the CAGI Performance Verification Program, these items are verified by the third party administrator Consult CAGI website for a list of participants in the third party verification program: www.cagi.org

NOTES:



- a. Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex E; ACFM is actual cubic feet per minute at inlet conditions.
- b. The operating pressure at which the Capacity (Item 8) and Electrical Consumption (Item 8) were measured for this data sheet.
- c. No Load Power. In accordance with ISO 1217, Annex E, if measurement of no load power equals less than 1%, manufacturer may state "not significant" or "0" on the test report.
- d. Tolerance is specified in ISO 1217, Annex E, as shown in table below:

NOTE: The terms "power" and "energy" are synonymous for purposes of this document.

Member

Volume Flow Rate at specified conditions		Volume Flow Rate	Specific Energy Consumption	No Load / Zero Flow Power	
m³/min	ft ³ / min	%	%	%	
Below 0.5	Below 17.6	+/- 7	+/- 8	1/ 100/	
0.5 to 1.5	17.6 to 53	+/- 6	+/- 7		
1.5 to 15	53 to 529.7	+/- 5	+/- 6	+/- 10%	
Above 15	Above 529.7	+/- 4	+/- 5		

ROT 031.2

12/19 R3