## COMPRESSOR DATA SHEET



## Federal Uniform Test Method for Certain Air Compressors Not Applicable

**Rotary Compressor: Variable Frequency Drive** 

MODEL DATA - FOR COMPRESSED AIR							
1	Manufacturer: <b>ELGi</b>						
	Model Number: <b>OF110AV-100</b>		Date: <b>08/17/2023</b>				
2	X Air-cooled Water-cooled		Type: SCREW				
	Lubricated X Oil Free	# of Stages: 2					
3*	Full Load Operating Pressure <sup>b</sup>	100	psig b				
4	Drive Motor Nominal Rating	150	hp				
5	Drive Motor Nominal Efficiency	95	percent				
6	Fan Motor Nominal Rating (if applicable)	2.1 x 2	hp				
7	Fan Motor Nominal Efficiency	NA	percent				
8*	Input Power (kW)	Capacity (acfm) <sup>a,d</sup>	Specific Power (kW/100 acfm) <sup>d</sup>				
	136.9	693.0	19.76				
	119.6	592.0	20.22				
	111.0	541.0	20.52				
	100.3	490.0	20.47				
	90.2	425.0	21.21				
	78.5	360.0	21.80				
9*	Total Package Input Power at Zero Flow c, d	0.00	kW				
10	35 (W) 30 25 10 10 125 250 C Note: Graph is only a vir	375 500 apacity(CFM) sual representation of the data in + 5kW/100acfm increments if neces 0 to 25% over maximum capacity					

\*For models that are tested in the CAGI Performance Verification Program, these items are verified by the third party administrator Consult CAGI website for a list of participants in the third party verification program: www.cagi.org

NOTES:



- a. Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex E; ACFM is actual cubic feet per minute at inlet conditions.
- b. The operating pressure at which the Capacity (Item 8) and Electrical Consumption (Item 8) were measured for this data sheet.
- c. No Load Power. In accordance with ISO 1217, Annex E, if measurement of no load power equals less than 1%, manufacturer may state "not significant" or "0" on the test report.
- d. Tolerance is specified in ISO 1217, Annex E, as shown in table below:
- NOTE: The terms "power" and "energy" are synonymous for purposes of this document.

Member

Volume Flow Rate at specified conditions		Volume Flow Rate	Specific Energy Consumption	No Load / Zero Flow Power
m³/min	ft <sup>3</sup> / min	%	%	%
Below 0.5	Below 17.6	+/- 7	+/- 8	
0.5 to 1.5	17.6 to 53	+/- 6	+/- 7	1/ 100/
1.5 to 15	53 to 529.7	+/- 5	+/- 6	+/- 10%
Above 15	Above 529.7	+/- 4	+/- 5	

ROT 031.2