COMPRESSOR DATA SHEET



Federal Uniform Test Method for Certain Air Compressors Not Applicable

Rotary Compressor: Variable Frequency Drive

MODEL DATA - FOR COMPRESSED AIR							
1	Manufacturer: ELGi						
	Model Number: OF132AV-115		Date:	10/18/2023			
2	X Air-cooled Water-cooled			SCREW			
	Lubricated X Oil Free		# of Stages: 2				
3*	Full Load Operating Pressure b	115	psig				
4	Drive Motor Nominal Rating	200		hp			
5	Drive Motor Nominal Efficiency	95.4	percent				
6	Fan Motor Nominal Rating (if applicable)	3.9 x 2	hp				
7	Fan Motor Nominal Efficiency	NA	percent				
8*	Input Power (kW)	Capacity (acfm) ^{a,d}		Specific Power			
	1			(kW/100 acfm) ^d			
	165.7	797.0	20.79				
	149.1	693.0	21.51				
	141.0	641.0	21.99				
	129.8	589.0	22.03				
	111.5	475.0	23.50				
o.t.	89.0	360.0	24.75				
9*	Total Package Input Power at Zero Flow c, d 0.00			kW			
10	Note: Graph is only a v Note: Y-Axis Scale, 10 to 35,	450 600 Capacity(CFM) isual representation of the data in + 5kW/100acfm increments if nece 0 to 25% over maximum capacity					

*For models that are tested in the CAGI Performance Verification Program, these items are verified by the third party administrator Consult CAGI website for a list of participants in the third party verification program: www.cagi.org

NOTES:



- a. Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex E;
 ACFM is actual cubic feet per minute at inlet conditions.
- b. The operating pressure at which the Capacity (Item 8) and Electrical Consumption (Item 8) were measured for this data sheet.
- c. No Load Power. In accordance with ISO 1217, Annex E, if measurement of no load power equals less than 1%, manufacturer may state "not significant" or "0" on the test report.
- d. Tolerance is specified in ISO 1217, Annex E, as shown in table below:
- NOTE: The terms "power" and "energy" are synonymous for purposes of this document.

Member

Volume Flow Rate at specified conditions		Volume Flow Rate	Specific Energy Consumption	No Load / Zero Flow Power
m³/min	ft ³ / min	%	%	%
Below 0.5	Below 17.6	+/- 7	+/- 8	
0.5 to 1.5	17.6 to 53	+/- 6	+/- 7	1/ 100/
1.5 to 15	53 to 529.7	+/- 5	+/- 6	+/- 10%
Above 15	Above 529.7	+/- 4	+/- 5	

ROT 031.2